L Number	Hits	Search Text	DB	Time stamp
2	69	calculat$3 with character$1 with (URL or "Uniform Resource locators" or link$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 11:14
3	5	(calculat$3 with character$1 with (URL or "Uniform Resource locators" or link$1)) and inverse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 11:20
4	0	inverse near2 URL near2 similarity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 11:20
1	4	"URL similarity"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 11:25
5	6948	calculat$3 with link$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 11:26

L Number	Hits	Search Text	DB	Time stamp
1	1740	((link$1 or URL) near2 calculat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 12:01
2	40	((link$1 or URL) with calculat$3 with similarity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 12:02
3	18	(((link$1 or URL) with calculat$3 with similarity)) and (rank$3 or scor$3 or weight$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 12:02
4	8	((link$1 or URL) with calculat$3 with similarity) same (rank$3 or scor$3 or weight$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 12:03

L Number	Hits	Search Text	DB	Time stamp
1	1697	"list structure"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 14:49
2	30	"list structure" and sublist and ((creat$3 or generat$3) with entr$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 14:54
3	15	"list structure" and sublist and (mode with operation$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 14:56
4	1	"list structure" and ((sub-list) or (sub near2 list)) and ((empty near2 state) or (non-empty near2 state))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 14:57